

XSL Source

The XSL source code on this page (in blue) is identical to the XSL location in the DTD directory (A:\Ass2\xsl).

```
<xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/TR/WD-xsl">
<xsl:template match="/">
<html>
<body>

<table width="768" style="border-collapse: collapse" bordercolor="#000000" border="1" cellpadding="4"
bgcolor="#FFFFFF" cellspacing="0">
<tr>
<td colspan="3"><font face="Verdana, Arial, Helvetica, sans-serif" size="4"><b>XML
Viewer via XSL</b></font></td>
</tr>
<tr>
<td width="200"></td>
<td height="18" width="10"></td>
<td height="18"></td>
</tr>
<tr>
<td width="200" bgcolor="#CCCCCC"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2">ISBN
Product Codes</font></b></td>
<td height="18" width="10"></td>
<td height="18"></td>
</tr>
<tr>
<td width="200" bgcolor="#EFEFEF"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2">Product
1</font></b></td>
<td width="10"></td>
<td><xsl:value-of select="OrderRecords/Entry/ISBNProduct1"/></td>
</tr>
<tr>
<td width="200" bgcolor="#EFEFEF"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2">Product
2</font></b></td>
<td width="10"></td>
<td><xsl:value-of select="OrderRecords/Entry/ISBNProduct2"/></td>
</tr>
<tr>
<td width="200" bgcolor="#EFEFEF"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2">Product
3</font></b></td>
<td width="10"></td>
<td><xsl:value-of select="OrderRecords/Entry/ISBNProduct3"/></td>
</tr>
<tr>
<td width="200" bgcolor="#EFEFEF"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2">Product
4</font></b></td>
<td width="10"></td>
<td><xsl:value-of select="OrderRecords/Entry/ISBNProduct4"/></td>
</tr>
<tr>
<td width="200" bgcolor="#EFEFEF"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2">Product
5</font></b></td>
<td width="10"></td>
<td><xsl:value-of select="OrderRecords/Entry/ISBNProduct5"/></td>
</tr>
<tr>
<td width="200" height="18"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2"></font></b></td>
<td height="18" width="10"></td>
<td height="18"></td>
</tr>
<tr>
<td width="200" bgcolor="#CCCCCC"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2">EAN
13 Product Codes</font></b></td>
<td height="18" width="10"></td>
<td height="18"></td>
</tr>
<tr>
```

```

<td width="200" bgcolor="#EFEFEF"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2">Product
1</font></b></td>
<td width="10"></td>
<td><xsl:value-of select="OrderRecords/Entry/EAN13Product1"/></td>
</tr>
<tr>
<td width="200" bgcolor="#EFEFEF"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2">Product
2</font></b></td>
<td width="10"></td>
<td><xsl:value-of select="OrderRecords/Entry/EAN13Product2"/></td>
</tr>
<tr>
<td width="200" bgcolor="#EFEFEF"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2">Product
3</font></b></td>
<td width="10"></td>
<td><xsl:value-of select="OrderRecords/Entry/EAN13Product3"/></td>
</tr>
<tr>
<td width="200" bgcolor="#EFEFEF"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2">Product
4</font></b></td>
<td width="10"></td>
<td><xsl:value-of select="OrderRecords/Entry/EAN13Product4"/></td>
</tr>
<tr>
<td width="200" bgcolor="#EFEFEF"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2">Product
5</font></b></td>
<td width="10"></td>
<td><xsl:value-of select="OrderRecords/Entry/EAN13Product5"/></td>
</tr>
<tr>
<td width="200" height="18"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2"></font></b></td>
<td height="18" width="10"></td>
<td height="18"></td>
</tr>
<tr>
<td width="200" bgcolor="#CCCCCC"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2">Billing
& Contact</font></b></td>
<td height="18" width="10"></td>
<td height="18"></td>
</tr>
<tr>
<td width="200" bgcolor="#EFEFEF" size="2"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2">Name:</font></b></td>
<td width="10"></td>
<td><xsl:value-of select="OrderRecords/Entry/Name"/></td>
</tr>
<tr>
<td width="200" bgcolor="#EFEFEF" size="2"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2">Address</font></b></td>
<td width="10"></td>
<td><xsl:value-of select="OrderRecords/Entry/AddressLine1"/></td>
</tr>
<tr>
<td width="200" height="18" bgcolor="#EFEFEF" size="2"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2"></font></b></td>
<td height="18" width="10"></td>
<td><xsl:value-of select="OrderRecords/Entry/AddressLine2"/></td>
</tr>
<tr>
<td width="200" bgcolor="#EFEFEF" size="2"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2">Town,
City</font></b></td>
<td width="10"></td>
<td><xsl:value-of select="OrderRecords/Entry/AddressLine3"/></td>
</tr>
<tr>
<td width="200" bgcolor="#EFEFEF" size="2"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2">Country</font></b></td>
<td width="10"></td>
<td><xsl:value-of select="OrderRecords/Entry/AddressLine4"/></td>
</tr>
<tr>

```

```

<td width="200" bgcolor="#EFEFEF"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2">Post
Code</font></b></td>
<td width="10"></td>
<td><xsl:value-of select="OrderRecords/Entry/Postcode"/></td>
</tr>
<tr>
<td width="200" bgcolor="#EFEFEF"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2">Email
Address</font></b></td>
<td width="10"></td>
<td><xsl:value-of select="OrderRecords/Entry/EmailAddress"/></td>
</tr>
<tr>
<td width="200" bgcolor="#EFEFEF"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2">Day
Tile Contact No.</font></b></td>
<td width="10"></td>
<td><xsl:value-of select="OrderRecords/Entry/DayTimeTel"/></td>
</tr>
<tr>
<td width="200" height="18"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2"></font></b></td>
<td height="18" width="10"></td>
<td height="18"></td>
</tr>
<tr>
<td width="200" bgcolor="#CCCCCC"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2">Credit
Card Details</font></b></td>
<td height="18" width="10"></td>
<td height="18"></td>
</tr>
<tr>
<td width="200" bgcolor="#EFEFEF"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2">Card
Number</font></b></td>
<td width="10"></td>
<td><xsl:value-of select="OrderRecords/Entry/CardNumber"/></td>
</tr>
<tr>
<td width="200" bgcolor="#EFEFEF"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2">Card
Type</font></b></td>
<td width="10"></td>
<td><xsl:value-of select="OrderRecords/Entry/CardType"/></td>
</tr>
<tr>
<td width="200" bgcolor="#EFEFEF"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2">Expiry
Month</font></b></td>
<td width="10"></td>
<td><xsl:value-of select="OrderRecords/Entry/CardMonth"/></td>
</tr>
<tr>
<td width="200" bgcolor="#EFEFEF"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2">Expiry
Year</font></b></td>
<td width="10"></td>
<td><xsl:value-of select="OrderRecords/Entry/CardYear"/></td>
</tr>
<tr>
<td width="200" bgcolor="#EFEFEF"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2">Switch
Only Issue No.</font></b></td>
<td width="10"></td>
<td><xsl:value-of select="OrderRecords/Entry/CardIssueNumber"/></td>
</tr>
<tr>
<td width="200" bgcolor="#EFEFEF"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2">Security
No.</font></b></td>
<td width="10"></td>
<td><xsl:value-of select="OrderRecords/Entry/CardSecurityNumber"/></td>
</tr>
<tr>
<td width="200" height="18"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2"></font></b></td>
<td height="18" width="10"></td>
<td height="18"></td>
</tr>
<tr>
<td width="200" bgcolor="#EFEFEF"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2">Shipping

```

```

Method</font></b></td>
<td height="18" width="10"></td>
<td height="18"><xsl:value-of select="OrderRecords/Entry/ShippingMethod"/></td>
</tr>
<tr>
<td width="200" height="18"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2"></font></b></td>
<td height="18" width="10"></td>
<td height="18"></td>
</tr>
<tr>
<td width="200" bgcolor="#EFEFEF"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2">Total
Goods</font></b></td>
<td width="10"></td>
<td><xsl:value-of select="OrderRecords/Entry/TotalGoods"/></td>
</tr>
<tr>
<td width="200" bgcolor="#EFEFEF"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2">Shipping
Cost</font></b></td>
<td width="10"></td>
<td><xsl:value-of select="OrderRecords/Entry/Shipping"/></td>
</tr>
<tr>
<td width="200" bgcolor="#EFEFEF"><b><font face="Verdana, Arial, Helvetica, sans-serif" size="2">Final
Total</font></b></td>
<td width="10"></td>
<td><xsl:value-of select="OrderRecords/Entry/FinalTotal"/></td>
</tr>
<tr>
<td width="200" height="18"></td>
<td height="18" width="10"></td>
<td height="18"></td>
</tr>
<tr>
<td width="200"></td>
<td width="10"></td>
<td><font face="Verdana, Arial, Helvetica, sans-serif" size="1"><b>Please
Press Back on your Browser to return to the Order History Page.</b></font></td>
</tr>
</table>

</body>
</html>
</xsl:template>
</xsl:stylesheet>
```